



## **VLS8000**

# Velocity Limiting System For PT8000 Series Models

Prevents cable from ever reaching damaging velocity during a free-release.

Ideal for applications requiring frequent connecting and disconnecting.

#### Provides safer operation.

Our patented Velocity Limiting System (VLS) is an option available for our PT8101, PT8150, PT8420 and PT8510 cable extension transducers to limit cable retraction speeds to a safe 40 to 55 inches per second.

The VLS option prevents the measuring cable from ever reaching a damaging velocity during an accidental free release. This option is ideal for applications that require frequent cable disconnection and reconnection. It prevents expensive unscheduled downtime due to accidental cable mishandling or attachment failure.

The 4 guides below define the PT8000 datasheets which support VLS as a Standard Option with quick delivery. Please contact us for availability of datasheets or options not shown.

#### **Ordering Guide:**

A VLS model number is configured just like a standard PT8000 model except the "PT" is dropped and replaced with "VLS". Because not all models and options are available, please use one of the 4 guides below.

VLS8101 -		- 1	•	1 -	•	1	•		
(PT8101)	0015		1		1		1	0	
	0020		2		2		2	1	
	0025		3		3		3	3	
	0030		4		4		4		
	0040				5		5		
	0050				6		6		
	0060						7		

VLS8420-		-1	<u> </u>	<u>1</u> -	1	<u> </u>		
	0015		1			1	1	0
(PT8420)	0020		2			2	2	1
	0025		3			3	3	3
	0030		4			4	4	
	0040					5	5	
	0050					6	6	
	0060						7	

VLS8510-		1_		 1	<b>3</b>	<b>-</b>	Θ
(PT8510)	0015		1		1	1	0
	0020		2		2	2	1
	0025		3		3	3	3
	0030		4		4	4	
	0040				5	5	
	0050				6	6	
	0060				7	7	
					8		

= available options (refer to appropriate PT8000 datasheet for complete information and specifications)

### **NORTH AMERICA**

Measurement Specialties, Inc., a TE Connectivity company 20630 Plummer Street Chatsworth, CA 91311 Tel +1 800 423 5483 Tel +1 818 701 2750 Fax +1 818 701 2799 info@celesco.com

#### TE.com/sensorsolutions

 $\label{eq:measurement} \mbox{Measurement Specialties, Inc., a TE Connectivity company.}$ 

Measurement Specialties, TE Connectivity, TE Connectivity (logo) and EVERY CONNECTION COUNTS are trademarks. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

© 2015 TE Connectivity Ltd. family of companies All Rights Reserved.

VLS8000 12/01/2015